



## 13<sup>th</sup> Gen Intel® Core™ Desktop Processors


The 13<sup>th</sup> Gen Intel<sup>®</sup> Core desktop processors pave the way for the future of power and performance.

With an increase in core count,¹ these processors continue to utilize Intel's performance hybrid architecture² to optimize your gaming, content creation, and productivity. Leverage industry-first bandwidth of up to 16 PCIe 5.0 lanes³ and DDR5 memory up to 5600 MT/s.⁴,⁵ Supercharge your CPU performance with a powerful suite of tuning and overclocking tools. Enjoy your favorite experiences in up to 4 simultaneous 4K60 displays or up to 8K60 HDR Video with dynamic noise suppression. Support for the Intel® 700 series chipsets and backwards compatibility with the Intel® 600 series chipsets allow you to access the features you need for any task. Whether you are working, streaming, gaming, or creating, the 13th Gen Intel® Core desktop processors deliver the next generation of breakthrough performance.



The 13<sup>th</sup> Gen Intel® Core™ desktop processors deliver the next generation of breakthrough core performance. Now with up to 24 cores (8 Performance-cores and 16 Efficient-cores) and up to 32 threads, plus Performance-cores are capable of reaching 5.8 GHz<sup>6</sup> with Intel® Thermal Velocity Boost to elevate performance. Intel® Turbo Boost Max Technology 3.0<sup>7</sup> further strengthens lightly threaded performance by identifying the best-performing Performance-cores. Meanwhile, additional E-cores enable an increase in Intel® Smart Cache (L3) for more efficient processing of larger data sets and better performance. The P-core and E-core L2 cache has also increased compared to the previous generation of Intel® processors, minimizing the amount of time spent swapping data between cache and memory to speed up your workflow.8 Unleash the power of next-level performance with the 13<sup>th</sup> Gen Intel® Core desktop processor advantage.





## 13<sup>TH</sup> GEN INTEL® CORE™ DESKTOP PROCESSORS: FEATURES AT A GLANCE

| FEATURE                                                                   | BENEFIT                                                                                                                                                                                                                                                   |  |  |
|---------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|--|
| Performance-core (P-core)                                                 | The highest-performing CPU core ever built by Intel, designed to handle single-threaded, lightly threaded, or burst workloads like 4K gaming and 3D design.                                                                                               |  |  |
| Efficient-core (E-core)                                                   | Designed to handle multi-threaded and background tasks such as minimized browser tabs, IT services, and cloud syncing, leaving P-cores free to deliver incredible performance without interruption.                                                       |  |  |
| Performance Hybrid Architecture <sup>1</sup>                              | Integrates two core microarchitectures into a single die, prioritizing and distributing workloads to optimize performance.                                                                                                                                |  |  |
| Intel® Thread Director <sup>1,14</sup>                                    | Optimizes workloads by helping the OS scheduler intelligently distribute workloads to the optimal cores.                                                                                                                                                  |  |  |
| PCIe 5.0 <sup>2</sup> up to 16 Lanes                                      | Offers readiness for up to 32 GT/s for fast access to discrete graphics, storage, and peripheral devices with up to 16 PCI Express 5.0 lanes.                                                                                                             |  |  |
| PCIe 4.0 up to 4 Lanes                                                    | Offers up to 16 GT/s for fast access to storage and peripheral devices with up to 4 PCI Express 4.0 lanes.                                                                                                                                                |  |  |
| Up to DDR5 5600 MT/s³                                                     | Delivers the latest, industry-leading innovation in memory capabilities for fast speeds, high bandwidth, and enhanced workflow productivity.                                                                                                              |  |  |
| Up to DDR4 3200 MT/s                                                      | Continued support of existing memory technology and speeds.                                                                                                                                                                                               |  |  |
| L3 and L2 Cache                                                           | Increased shared Intel® Smart Cache (L3) and L2 cache sizes allow users to work faster, with larger datasets.                                                                                                                                             |  |  |
| Intel® Deep Learning Boost                                                | Accelerates AI inference to improve performance for deep learning workloads.                                                                                                                                                                              |  |  |
| Gaussian & Neural Accelerator 3.0<br>(GNA 3.0)                            | Processes AI speech and audio applications such as neural noise cancellation while simultaneously freeing up CPU resources for overall system performance and responsiveness.                                                                             |  |  |
| Intel® Adaptive Boost Technology                                          | Intel® ABT improves performance by opportunistically allowing higher multi-core turbo frequencies, while operating within system power and temperature specifications when current, power, and thermal headroom exists.                                   |  |  |
| Intel® Thermal Velocity Boost                                             | Intel® Thermal Velocity Boost opportunistically and automatically increases clock frequency of select 13th Gen Intel® Core Desktop processors by up to 100 MHz if the processor is at a temperature of 70°C or lower and turbo power budget is available. |  |  |
| Intel® Turbo Boost Max Technology 3.05                                    | Identifies the processor's fastest cores and directs critical workloads to them.                                                                                                                                                                          |  |  |
| Intel® UHD Graphics driven<br>by X <sup>e</sup> Architecture <sup>9</sup> | Rich media and intelligent graphics capabilities enable amplified visual complexity, enhanced 3D performance, and faster image processing.                                                                                                                |  |  |
| Overclocking <sup>6</sup> Features<br>and Capabilities                    | When paired with the Intel® Z790 or Z690 chipset, processor P-cores, E-cores, graphics, and memory can be set to run at frequencies above the processor specification resulting in higher performance.                                                    |  |  |
| Intel® Extreme Tuning Utility <sup>7</sup>                                | precision toolset for tuning and overclocking, featuring memory and hybrid becessor overclocking, so that new and experienced users can get more from their locked processors. <sup>6</sup>                                                               |  |  |
| Intel® Extreme Memory Profile 3.0                                         | Simplifies the memory overclocking experience with increased flexibility, additional profiles, and expanded voltage controls.                                                                                                                             |  |  |
| Intel® Dynamic Memory Boost®                                              | Intelligent memory overclocking performance on-demand that optimizes platform performance based on usage.                                                                                                                                                 |  |  |

## 13<sup>TH</sup> GEN INTEL® CORE™ DESKTOP PROCESSORS COMPARISON

|                                                                 | core                                         | intel.                                       | core                                         | CORE                                      |  |
|-----------------------------------------------------------------|----------------------------------------------|----------------------------------------------|----------------------------------------------|-------------------------------------------|--|
|                                                                 | i9                                           | i7                                           | i5                                           | i3                                        |  |
|                                                                 | Intel® Core i9<br>Processors                 | Intel® Core i7<br>Processors                 | Intel® Core i5<br>Processors                 | Intel® Core i3<br>Processors              |  |
| Max Turbo Frequency [GHz]                                       | Up to 5.8                                    | Up to 5.4                                    | Up to 5.1                                    | Up to 4.5                                 |  |
| Intel® Turbo Boost Max Technology<br>3.0 Frequency [GHz]        | Up to 5.7                                    | Up to 5.4                                    | n/a                                          | n/a                                       |  |
| Performance-core Max Turbo Frequency [GHz]                      | Up to 5.4                                    | Up to 5.3                                    | Up to 5.1                                    | Up to 4.5                                 |  |
| Efficient-core Max Turbo Frequency [GHz]                        | Up to 4.3                                    | Up to 4.2                                    | Up to 3.9                                    | n/a                                       |  |
| Performance-core Base Frequency [GHz]                           | 3.0                                          | 3.4                                          | 3.5                                          | Up to 3.4                                 |  |
| Efficient-core Base Frequency [GHz]                             | 2.2                                          | 2.5                                          | 2.6                                          | n/a                                       |  |
| Processor Cores (P-cores + E-cores)                             | 24 (8P+16E)                                  | 16 (8P+8E)                                   | 14 (6P+8E)                                   | 4 (4P+0E)                                 |  |
| Intel® Hyper-Threading Technology                               | Yes                                          |                                              |                                              |                                           |  |
| Total Processor Threads                                         | 32                                           | 24                                           | 20                                           | 8                                         |  |
| Intel® Thread Director                                          | Yes                                          |                                              |                                              | No                                        |  |
| Intel® Smart Cache (L3) Size [MB]                               | 36                                           | 30                                           | 24                                           | 12                                        |  |
| Total L2 Cache Size [MB]                                        | 32                                           | 24                                           | 20                                           | 5                                         |  |
| Max Memory Speed [MT/s]                                         |                                              |                                              |                                              | DDR5 4800<br>DDR4 3200                    |  |
| Number of Memory Channels                                       | 2                                            |                                              |                                              |                                           |  |
| CPU PCIe 5.0 Lanes                                              | Up to 16                                     |                                              |                                              |                                           |  |
| CPU PCle 4.0 Lanes                                              |                                              |                                              |                                              |                                           |  |
| Enhanced Intel® UHD Graphics driven<br>by X® Architecture       | i9:<br>Intel® UHD<br>Graphics 770<br>i9F: no | i7:<br>Intel® UHD<br>Graphics 770<br>i7F: no | i5:<br>Intel® UHD<br>Graphics 770<br>i5F: no | i3: Intel® UHD<br>Graphics 730<br>i3F: no |  |
| Graphics Dynamic Frequency [MHz]                                | 1650                                         | 1600                                         | 1550                                         | 1500                                      |  |
| Processor P-core / E-core / Graphics / Memo-<br>ry Overclocking | Yes                                          |                                              |                                              | No                                        |  |
| Intel® Quick Sync Video                                         | Yes                                          |                                              |                                              |                                           |  |
| Intel® Deep Learning Boost (Intel® DL Boost)                    | Yes                                          |                                              |                                              |                                           |  |
| Intel® Advanced Vector Extensions 2<br>(Intel® AVX2)            | Yes                                          |                                              |                                              |                                           |  |
| Intel® Gaussian and<br>Neural Accelerator (GNA)                 | Yes                                          |                                              |                                              |                                           |  |

## **Product Brief** 13<sup>th</sup> Gen Intel® Core™ Desktop Processors

Notices & Disclaimers

Performance varies by use, configuration and other factors. Learn more at www.Intel.com/PerformanceIndex

Performance results are based on testing as of dates shown in configurations and may not reflect all publicly available updates. See backup for configuration details. No product or component can be absolutely secure.

Results have been estimated or simulated.

Altering clock frequency or voltage may void any product warranties and reduce stability, security, performance, and life of the processor and other components. Check with system and component manufacturers for details.

- <sup>1</sup> Increased cores from previous generation on the unlocked i9, i7, and i5 processors.
  Performance hybrid architecture combines two core microarchitectures, Performance-cores
  (P-cores) and Efficient-cores (E-cores), on a single processor die first introduced on 12th Gen Intel®
  Core processors. Select 13th Gen Intel® Core processors do not have performance hybrid architecture, only P-cores, and have same cache size as prior generation; see ark.intel.com for SKU details.
- 2. CPU PCIe 5.0 lanes are only validated for discrete graphics (x16) and PCIe storage (1x4). 1x16 bifurcation to 2x8 supported on select Intel® 600 and 700 Series chipsets.
- <sup>3.</sup> Maximum memory speeds are associated with 1 DIMM per Channel (1DPC) configurations. Up to DDR5-5600 MT/s 1DPC UDIMM 1Rx8, 1Rx16 and DDR5-5200 1Rx8, 1Rx16, 2Rx8.
- 4. On select processor SKUs.
- 5. With Intel® Thermal Velocity Boost.
- <sup>6.</sup> Available only on Intel<sup>®</sup> Core<sup>™</sup> i9 processors and Intel<sup>®</sup> Core<sup>™</sup> i7 processors.
- 7. Increased cores from previous generation on the unlocked i9, i7, and i5 processors.
- Overclocking Disclaimer: Unlocked features are present with select chipsets and processor combinations. Altering clock frequency or voltage may void any product warranties and reduce stability, security, performance, and life of the processor and other components. Check with system and component manufacturers for details.
- 9. Users must download this app from intel.com.
- 10. This feature requires motherboard BIOS support. Please see your motherboard supplier for details.
- 11. Available only on 12th and 13th Gen Intel® Core™ processors featuring integrated graphics.
- 12 'Best in Class wired and wireless connectivity with Wi-Fi 6': Intel® Wi-Fi 6 (Gig+) products support optional 160 MHz channels, enabling the fastest possible theoretical maximum speeds (2402 Mbps) for typical 2x2 802.12ax PC Wi-Fi products. Premium Intel® Wi-Fi 6 (Gig+) products enable 2-4X faster maximum theoretical speeds compared standard 2x2 (1201 Mbps) or 1x1 (600 Mbps) 802.12ax PC Wi-Fi products, which only support the mandatory requirement of 80 MHz channels. Gigabit Wi-Fi Requirements: To achieve speed of over 1 Gbps requires Gig internet service, router/gateway with either Wi-Fi 6 or 12ac with 160 MHz channel support, and PC with Intel® Wireless 9260/9560 or Intel® Wi-Fi 6 (Gig+) AX200/AX201.
- <sup>13.</sup> Built into the hardware, Intel® Thread Director is provided only in performance hybrid architecture configurations of 12th Gen or newer Intel® Core processors; OS enablement is required. Available features and funcitionality vary by OS.
- 14. With Intel® Thermal Velocity Boost.

