Intel® 700 Series Chipset Brief

Embedded on the motherboard, chipsets control the interaction between a CPU and every other peripheral system on the motherboard, including RAM, storage, and I/O components. They are a crucial part of your PC, defining not only the connectivity that your PC can support, but also what CPU features you have access to. Chipset Brief Intel® 700 Series Chipset with Intel® Core™ Desktop Processors

The Intel® Z790 Chipset with Intel® Core[™] Desktop Processors¹

Z790 Chipset: Delivering a Supercharged Experience for Enthusiasts

The Intel® Core desktop processors, when paired with the Z790 chipset, deliver the breakthrough performance and features that gamers, creators, and professionals need to work at their best. Optimized for overclocking⁷ and precision tuning when paired with an unlocked processor, the Z790 chipset empowers you with the control and confidence to choose the best performance and thermal characteristics for the task at hand. Harness the processing power, responsiveness, and connectivity of up to 38 highspeed I/O lanes— including 20 PCIe 4.0 lanes, 8 PCIe 3.0 lanes, and 5 USB 3.2 Gen 2x2 (20G) ports—as well as supporting Intel® Killer[™] Wi-Fi 6E (Gig+) and Intel® Wi-Fi 7 (5 Gig) for extreme gaming, content creation, and productivity to the next level

and the art

Chipset Brief The Intel® 700 Series Chipset with Intel® Core™ Desktop Processors


The Intel® H770 and B760 Chipsets with Intel® Core™ Desktop Processors¹

Pick the Modern Performance You Need

Intel's comprehensive chipset portfolio also includes the Intel® H770 and B760 chipsets that, when paired with Intel® Core desktop processors deliver dynamic capabilities and accelerated connectivity. Both chipsets support memory over-clocking¹ but offer distinct I/O and PCIe processor configurations. The H770 chipset accelerates multi-tasking with greater data throughput capabilities of up to 16 PCIe 4.0 lanes, 8 PCIe 3.0 lanes, bifurcation of the CPU PCIe lanes, and support for SATA and PCIe RAID. The B760 brings up to 10 PCIe 4.0 lanes and 4 PCIe 3.0 lanes for the speed and performance to power modern work needs. Choose the features you need to get the most from your everyday gaming, creating, and productivity.



Intel® 700 Series Chipset Block Diagram



*Lane count and PCIe lane support varies by chipset.

Chipset Brief The Intel® 700 Series Chipset with Intel® Core™ Desktop Processors

FEATURE	BENEFIT		
Support for Intel® Core™ desktop processors (14 th , 13 th , and 12 th gen)	Cross-generation compatibility with additional PCIe lanes and USB ports.		
Volume Management Device (Intel® VMD)³	User-friendly way to manage your storage devices that allows direct control and management of NVMe SSDs from the PCIe bus without additional hardware adaptors.		
Memory Overclocking ⁷ Support	Enables memory overclocking so that new and experienced users can get more from their unlocked processors.		
Intel® Rapid Storage Technology 19.x or later	With additional SSDs and hard drives added, helps provide quick access to digital photo, video, and data files, and data protection against a hard disk drive failure with RAID 0, 1, 5, and 10.		
Intel® Wi-Fi 6E Support	Integrated Intel® Wi-Fi 6E (Gig+) through CNVi and Intel® Killer™ Wi-Fi 6E (Gig+) so that you can enjoy wired and wireless connectivity at Gigabit Wi-Fi speeds.		
Intel® Wi-Fi 7 Support ⁸	Integrated Intel® Wi-Fi 7 (5 Gig) enables access to new high-speed channels in 5 and 6 GHz bands for large file sharing at speeds up to 2 Gbps.		
USB 3.2 Gen 2x2	Integrated USB 3.2 Gen 2x2 support provides data transfer performance with a design data rate of up to 20 Gb/s.		
USB 3.2 Gen 2x1	Integrated USB 3.2 Gen 2x1 support provides data transfer performance with a design data rate of up to 10 Gb/s.		
USB 3.2 Gen 1x1	Integrated USB 3.2 Gen 1x1 support provides data transfer performance with a design data rate of up to 5 Gb/s.		
Serial ATA (SATA) 6 Gb/s	High-speed storage interface that supports up to 6 Gb/s transfer rates for optimal data access.		
Intel® Platform Trust Technology	Integrated chipset hardware and firmware solution that delivers a trusted element of the platform execution to provide enhanced security against viruses and malicious SW attacks.		
PCI Express 4.0 Interface	Up to 20 PCI Express 4.0 lanes of 16 GT/s for access to peripheral devices and networking.		
PCI Express 3.0 Interface	Up to 8 PCI Express 3.0 lanes of 8 GT/s for access to peripheral devices and networking.		
Intel® Smart Sound Technology	Integrated digital signal processor (DSP) for audio offload and audio/voice features.		

INTEL® 700 SERIES CHIPSETS FEATURES AT A GLANCE

	Intel® Z790 Series Chipset ³	Intel [®] H770 Series Chipset ³	Intel [®] B760 Series Chipset ³
Chipset PCIe Express4 3.0 Lanes⁵	Up to 8	Up to 8	Up to 4
Chipset PCIe Express4 4.0 Lanes⁵	Up to 20	Up to 16	Up to 10
Processor PCIe Lane Configuration Support	1x16+1x4 or 2x8+1x4	1x16+1x4 or 2x8+1x4	1x16+1x4
DMI	x8 Gen4	X8 Gen4	X4 Gen4
SATA 3.0 (6 Gb/s) Ports ³	Up to 8	Up to 8	
USB 3.2 Gen 1x1 (5G) Ports	10		6
USB 3.2 Gen 2x1 (10G) Ports	10		
USB 3.2 Gen 2x2 (20G) Ports ⁶			

Notices and Disclaimers

Performance varies by use, configuration and other factors. Learn more at <u>www.Intel.com/PerformanceIndex</u>.

Performance results are based on testing as of dates shown in configurations and may not reflect all publicly available updates. See backup for configuration details. No product or component can be absolutely secure.

Results have been estimated or simulated.

Altering clock frequency or voltage may void any product warranties and reduce stability, security, performance, and life of the processor and other components. Check with system and component manufacturers for details.

- 1. Intel[®] Core[™] Desktop Processors (14th and 13th gen)
- Maximum memory speeds are associated with 1 DIMM per Channel (1DPC) configurations. Up to DDR5-5600 MT/s 1DPC UDIMM 1Rx8, 1Rx16 and DDR5-5200 1Rx8, 1Rx16, 2Rx8.

- 3. Other names and brands may be claimed as the property of others. Check motherboard vendor for compatible BIOS.
- 4. Support requires Intel® RST19.x or later drivers.
- 5. Maximum lanes/ports available may vary depending on platform implementation.
- 6. Requires 2 physical HSIO USB lanes.

7. Overclocking Disclaimer: Unlocked features are present with select chipsets and processor combinations. Altering clock frequency or voltage may void any product warranties and reduce stability, security, performance, and life of the processor and other components. Check with system and component manufacturers for details.

8. Subject to regional availability, operating system support and router compatibility. Learn more at https://www.intel.com/content/ www/us/en/products/docs/wireless/wi-fi-7.html

intel.